

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ·[Search settings](#) | [Sign in](#)

demultiplexer api

[Search](#)[Advanced Search](#)[Web](#) [Show options...](#)Results 1 - 10 of about 128,000 for **demultiplexer api**. (0.31 seconds)

[JMF 2.0 API \(03/10/01\): Interface Demultiplexer](#)

A **Demultiplexer** is a media processing unit that takes an interleaved media stream as input, extracts the individual tracks from the stream, and outputs the ...

[java.sun.com/javase/.../jmf/2.../apidocs/.../Demultiplexer.html](#) - Cached - Similar

[Demultiplexer Plug-In](#)

JMF 2.0 API Guide ... This sample demonstrates how to implement a **Demultiplexer** plug-in to extract ... Some **Demultiplexer** may have other requirements. ...

[java.sun.com/javase/technologies/.../JMFAppl-Demux.html](#) - Cached - Similar

[Show more results from java.sun.com](#)

[\[vorbis-dev\] Demultiplexer API with a static number of streams](#)

I am currently implementing an Ogg **demultiplexer** for a media **API**, where the **demultiplexer** plugin has to provide a static number of logical streams. ...

[lists.xiph.org/pipermail/vorbis-dev/2002.../015469.html](#) - Cached - Similar

[Demultiplexer application programming interface - Patent EP1505501](#)

Feb 9, 2005 ... The **demultiplexer API** allows the consumer to use muxed stream data

The **demultiplexer API** supports dynamic generation of new stream ...

[www.freepatentsonline.com/EP1505501.html](#) - Similar

by K Debieque - 2005 - Related articles - All 4 versions

[Linux DVB API 1.0](#)

The Linux DVB **API** lets you control these hardware components through currently six Unix-style character devices for video, audio, frontend, **demux**, ...

[www.scribd.com/doc/3910827/Linux-DVB-API-10](#) - Cached - Similar

[dvb/linuxtv-dvb/doc HOWTO-use-the-demux-api HOWTO-use-the-frontend ...](#)

Using the **demux API** you can set up the stream routing and set up filters to filter the interesting parts of the input streams only. ...

[lists.alioth.debian.org/pipermail/pkg-vdr.../000205.html](#) - Cached - Similar

[Multithreaded Multiplexer/Demultiplexer to allow multiple ...](#)

On B, `process_transaction()` of a **demultiplexer** will get called by worker It is trivial to use the threadpool **API** of recipe #576519 to replace the ...

[code.activestate.com/recipes/576520/](#) - Cached - Similar

[\[ps\] The Linux DVB API](#)

File Format: Adobe PostScript - [View as HTML](#)

Aug 15, 2002 ... frontends to an internal kernel **demux API** which has to be implemented

The greater challenge is to change the **demultiplexer API** to allow ...

[www.linux-kongress.org/2002/papers/lk2002-metzler.ps](#) - Similar

[Java\(TM\) Media Framework API: Class PluginManager](#)

JavaTM Media Framework **API** v2.0 ... JMF defines several types of plug-ins, such as codecs, **demultiplexers**, and renderers. Custom plug-in types can also be ...

[www.cdt.liu.se/java/doc/jmf_docs.../PluginManager.html](#) - Cached - Similar

[PCI ITU/CEPT E1 Demultiplexer PCI ITU/CEPT E1 Demultiplexer](#)

Mar 15, 2001 ... The INT-9951 is a **demultiplexer** for ITU/CEPT telecommunications
The **API** is written in the 'C' programming language and source code is ...
www.intrnx.com/products/9951/opman.pdf - Similar

1 2 3 4 5 6 7 8 9 10 [Next](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) -
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)